



A.R.PRO.M.A. Associazione Revisori, Produttori di Macchine ed Attrezzature Agricole - via Molinasso 18 - 12038 Savigliano (CUNEO) - Tel. +39 0172 712207 - Cod. Fisc. 96031820044 -
www.arproma.it - arproma@confartcn.it

COMPANY PROFILE

company data (dati aziendali)

Company Name (Ragione Sociale): Ricca Andrea & C. Snc

Address (Indirizzo): Via Vecchia di Cuneo, 57

City (Comune): 12022 – Busca (CN)

Phone: +39.0171.946709

Fax: +39.0171.946719

E mail: vendite@thor-italy.com

Website: www.thor-italy.com

Last Turnover (Ultimo fatturato disponibile): € 2.213.200

N° of employees (n° di dipendenti): 14

Contact Person - name and position (Persona di riferimento – nome e titolo): Roberta Ricca, owner (titolare).

Spoken Languages (Lingue parlate): English, German, French.

activity (attività)

Short Description of your Company and **Production** (Breve descrizione dell'azienda e della produzione):

Company established in 1977 for the design and manufacture of machines and equipment for the processing of firewood and biomass. (Azienda costituita nel 1977 per la progettazione e la costruzione di macchine ed attrezzature per la lavorazione della legna da ardere e per biomasse.)

Specific sector of activity (settore specifico di utilizzo dei vostri macchinari)

☐ Wine growing (viticoltura)

☐ Zootechnics (zootecnia)

☐ Agriculture (agricoltura)

☒ Forestry (silvicoltura)

☐ Gardening (giardinaggio)

☐ Other (Altro) Please detail (specificare):

certifications and other information (certificazioni e altre informazioni)

Does your company have quality certifications? (L'impresa possiede certificazioni di qualità?)

☒ YES (SI) ☐ NO (NO)

If yes, please detail (se sì, specificare):

☐ ISO 9001

☐ ISO 14000

☒ CE Mark (Marchio CE)

☐ Other (Altro) Please detail (specificare):

Does your company have environmental certifications? (L'impresa possiede certificazioni ambientali?)

☐ YES (SI) ☒ NO (NO)

If yes, please detail (se sì, pregasi dettagliare):

Does or did your company participate in co-design activities together with clients? (La vostra impresa partecipa o ha partecipato da attività di co-progettazione con uno o più clienti?)

☒ YES (SI) ☐ NO (NO)

Does your company invest in R&D? (L'impresa investe in ricerca e sviluppo?)

☒ YES (SI) ☐ NO (NO)

If yes, please give turnover % (se sì, fornire % fatturato):

Did your company register any patents? (L'impresa ha depositato brevetti?)

☒ YES (SI) ☐ NO (NO)

If yes, please detail in which country/ies (se sì, pregasi dettagliare in quale paese/i):

Main competition factors of the company (principali fattori competitivi dell'azienda)

☐ Price (Prezzo)

☒ Quality (Qualità)

☒ Technology (Tecnologia)

☒ Customization (Customizzazione)

☒ Service (Servizio)

☐ Other (Altro) Please detail (specificare):

Export (esportazioni)

Do you export any products? (La sua Azienda opera già con l'estero?):

☒ YES (SI) ☐ NO (NO)

If yes, please give Export % of Turnover (Se sì, fornire % Export del fatturato) 72%

Do you already export to (Esportate già in):

☒ Paesi - specificare

Germany – Switzerland – France – Netherlands – Belgium – UK – Ireland – Ukraine – Hungary – Austria

Partners you are looking for (Tipologia di partner commerciali cui siete interessati):

☒ Agents/Brokers/Procurers (Agenti/broker/segналatori)

☒ Importers/Distributors (Importatori/Distributori)

☐ Manufacturers (Produttori)

☐ Other (Altro) Please detail (specificare):

Briefly describe the profile of your ideal partner (descrivere brevemente le caratteristiche dei partner ideali per la vostra azienda):

Dealers able to promote sales, distribution and ensure after sales service. (Concessionari in grado di promuovere la vendita, la distribuzione e la seguente assistenza post vendita.)

Please give any other information you consider useful (Altre informazioni che ritenete utili):

Experience acquired with at least 5 - 10 years of activity in the sector. (Esperienza acquisita con almeno 5 – 10 anni di attività nel settore.)

attachments (allegati)

☒ Electronic Catalogue or Brochure (Catalogo e/o depliant di presentazione dell'azienda in **INGLESE** in formato elettronico)


informazione tecnica

L'azienda dichiara di essere:


associata ad A.R.PRO.M.A. ☒ SI ☐ NO

espositrice alla Fiera della Meccanizzazione Agricola di Savigliano 2018 ☒ SI ☐ NO

MAGIKA UNIVERSAL




Model	Magika Universal
Splitting force	12 - 16 - 18 Ton
Max. cutting diameter (cm)	32 - 38
Cutting bar with chain	16" - 40 cm
Power supply	EL, HVP, V.PF, KOMBI, VS



WWW.THOR-ITALY.COM

AGROITA
partner

Follow us on and **You Tube**



RICCA ANDREA & C. SNC

Via Vecchia di Cuneo 57, 12022 Busca (CN), Italy

P.iva 00529460040

Tel. (+39) 0171.946709 - Fax (+39) 0171.946719

vendite@thor-italy.com - www.thor-italy.com

Code 100.468



THOR

1977-2017

From 40 years **Make innovation is our passion**



2017


"A.2017/UE" catalogue



ALPINO

€

6 versions available



Double ergonomically-positioned levers for the splitting phase.

OPTIONAL: Side extensions for log support.

Super-sturdy frame.

TRANSPORT:
200 mm dia. full wheels, standard on 6.5 model.
250 mm dia. full wheels, standard on 8.5 ton model.

System LEADER Approved pedal (standard) for approach stroke and log centering.


Model	Alpino
Splitting force	6.5-8.5 Ton
Max. cutting height (cm)	54-67-105
Cutting stroke (cm)	50
Max. cutting diameter (cm)	50
Power supply	EL



DIAVOLIK STOPandGO

€

3 versions available



Exclusive 12 Volt electric controls. **STOPandGO** System! (THOR patent)

Safety sensor and lever protector.

Rotating protection bars for logs and broken pieces.

Hydraulic cylinder h. 215 cm, retractable for storage.

Tempered and high strength steel cutter, with a length of 30 cm and 6° inclined cut for a greater penetration and less effort.

The “**STOPandGO!**” control system leaving one or two hands free allows the cutter to be lowered electronically until it touches the log without any risk!

25 TON V.PF

OPTIONAL: Chainsaw holder

OPTIONAL: Side hoist


30 TON V.PF

Model	Diavolik
Splitting force	25-30 Ton
Max. cutting height (cm)	123
Cutting stroke (cm)	120
Max. cutting diameter (cm)	130
Power supply	V.PF, KOMBI

LIDER & MIGNON PROF

€

12 versions available



Double ergonomically-positioned levers for the splitting phase.

Removable board 54 cm.


Rotating board 67 cm.

Fixed board 105 cm.

Wheels of big dimensions as standard on some models.

System LEADER Approved pedal (standard) for approach stroke and log centering.


Model	Lider	Mignon Prof
Splitting force	9 Ton	11 Ton
Max. cutting height (cm)	54-67-105	54-67-105
Cutting stroke (cm)	50	50
Max. cutting diameter (cm)	50	60
Power supply	EL, HVP, KOMBI, VS	



KATANA 700/750

€

7 versions available



Side feed mounted on bearings, with vertical stop position for transport.

Cut adjuster and discharge conveyor as standard (already pre-set for conveyor belt).

Full transport wheels mm 400 dia. as standard.

OPTIONAL: Pneumatic wheels mm 400 dia.

Per Katana 750 **NEXA System**
The “NEXA-System” safety device for saw benches prevents manual movement of logs inside the swing tank when the cutting blade is uncovered! (THOR patent)


Model	Katana 700	Katana 750
Widia blade	ø 700	ø 750
Max. cutting diameter (cm)	28	30
Blade revs rpm	1400	1400
Power supply	EL (S1), V.PF	EL (S6), V.PF, KOMBI



MAGIK

€

9 versions available



System LEADER Single control for log centering.

Two ergonomically positioned levers activate the splitting phase.


OPTIONAL: Manual hydraulic winch and Timber tong.

OPTIONAL: Lifting hook (with holder).

OPTIONAL: Side hoist.

Special steel cutter with inclined cut for greater penetration and less effort.


Model	Magik
Splitting force	13-18-20 Ton
Max. cutting height (cm)	124
Cutting stroke (cm)	120
Max. cutting diameter (cm)	90
Power supply	EL, V.PF, KOMBI, VS



REVOLVER

€

3 versions available



ANDREA'S LAST System
1 cut channel + 2 load channels. (THOR patent)

Automatic drum rotation.

Telescopic conveyor belt, 4 m or 5 m length at choice.

Mechanical locking of the logs before cutting.

Cutting length adjustment from 25 to 50 cm.

Model	Revolver
Widia blade	ø 600
Max. cutting diameter (cm)	18
Blade revs rpm	1600
Power supply	EL, V.PF, KOMBI



LEGEND
EL: Electric engine, **HVP:** Detached PTO pump for tractor, **V.PF:** Fixed PTO pump for tractor, **KOMBI:** (EL+V.PF) **VS:** Petrol engine.

€